Product fiche pursuant to Delegated Regulation (EU) no. 65/2014

Domestic Range Hoods	Answer
Supplier's Name or Trade Mark	Neff
Model	D79MT86N1B
Annual Energy Consumption (AEC hood) in kWh/a	33.3 kWh/a
	55.5 KWN/4
Energy efficiency class	A
Fluid Dynamic Efficiency (FDE)	33.1
Fluid Dynamic Efficiency (FDE) class	A
	A
Lighting Efficiency (LE hood) in lux/Watt	100 lux/Watt
Lighting efficiency class	А
	07.000/
Grease Filtering Efficiency	87.30%
Grease Filtering Efficiency class	В
	-
Air flow (in m 3 /h) at minimum and maximum speed in normal use, intensive or boost excluded	Minimum: 240.0 m³/h
	Maximum: 600.0 m³/h
If everile block be a sufficient (in an 2 /b) at intensive on broat actting	700 m ³ /h
If available the air flow (in m3/h) at intensive or boost setting	790 m³/h
Airborne acoustical A-weighted sound power emissions (dB(A)) at minimum and maximum speed	Minimum: 44 dB(A)
available in normal use	Maximum: 66 dB(A)
Airborne acoustical A-weighted sound power emissions (dB(A)) at intensive or boost setting	72 dB(A)
Power consumption in off mode (P o), in Watt	0.25 W
	0.20 11
Power consumption in standby mode (P o), in Watt	0 W